| Γ: | L Number | Hits | Search Text | DB | Time stamp |
|-------|----------|------|--|---------------------|------------------|
| _ | _ | 7 | (terada same junji).in. | USPAT | 2002/08/05 08:17 |
| | _ | 0 | (endo same kiju).in. | USPAT | 2001/05/23 10:27 |
| ١. | - | 0 | (endo same kiji).in. | USPAT | 2001/05/23 10:27 |
| | - | 0 | (surface adj plate adj treatment adj | USPAT | 2001/05/23 10:28 |
| | | | film).ti. | | 0001/05/02 11 20 |
| | - | 4340 | polyurethane with glass | USPAT | 2001/05/23 11:39 |
| - 1 ' | - | 2 | (polyurethane with glass) and electrochromic.ti. | USPAT | 2001/05/23 11:39 |
| | | 8159 | polyurethane same glass | USPAT | 2001/05/23 11:39 |
| | | 11 | (polyurethane same glass) and | USPAT | 2001/05/23 11:39 |
| | | | electrochromic.ti. | 001111 | 2001,03,23 11.43 |
| | _ | 3. | reductive adj color\$3 adj electrochromic | USPAT | 2001/05/23 11:45 |
| - 1 . | _ | 1 | 5725959.pn. | USPAT | 2001/05/23 14:32 |
| | - | 0 | 5725959.pn. and anti\$7 | USPAT | 2001/05/23 14:33 |
| - | _ | 0 | 5725959.pn. and anti\$15 | USPAT | 2001/05/23 14:33 |
| | - | 0 | 5725959.pn. and anti\$20 | USPAT | 2001/05/23 14:33 |
| - - | - | 1 | 5777779.pn. | USPAT . | 2001/05/24 14:08 |
| | - | 4 | 692463.pn. | USPAT; | 2001/05/24 14:09 |
| | | | | US-PGPUB; | |
| 2 | | | | EPO; JPO; | |
| | | | | DERWENT; IBM TDB | |
| ◥. | _ | 7 | 9710185.pn. | USPAT; | 2001/05/24 14:10 |
| | | [| 5.10100.pm. | US-PGPUB; | 2001/03/24 14.10 |
| | | | | EPO; JPO; | |
| | | | | DERWENT; | |
| | | | | IBM TDB | |
| . | - | 1 | 9630809.pn. | USPĀT; | 2001/05/24 14:11 |
| | | | | US-PGPUB; | |
| | | | | EPO; JPO; | |
| | - | | | DERWENT; | |
| | 3 | . ! | | IBM_TDB | , , , |
| 1 | - | 4 | 692463.pn. | USPAT; | 2001/05/24 14:11 |
| | | | | US-PGPUB; | |
| | | | | EPO; JPO; DERWENT; | |
| | | | | IBM TDB | |
| | _ | 2 | 08083581.pn. | USPAT; | 2001/05/24 14:27 |
| | | _ | , | US-PGPUB; | |
| | | | | EPO; JPO; | |
| | | | | DERWENT; | |
| | | | | IBM_TDB | |
| | - | 1 | 0692463.pn. | USPAT; | 2002/08/04 17:17 |
| İ | | | | US-PGPUB; | |
| | | | | EPO; JPO; | |
| 1 | | | · | DERWENT; | |
| | _ | 4 | 692463.pn. | IBM_TDB USPAT; | 2002/08/04 17:18 |
| | | · · | 33233, p | US-PGPUB; | 2002/00/04 17.10 |
| | | | | EPO; JPO; | |
| | | | | DERWENT; | |
| | | | | IBM_TDB | |
| - | - | 1 | 5800918.pn. | USPĀT | 2002/08/04 17:28 |
| . | - | 2 | 08083581.pn. | USPAT; | 2002/08/04 17:21 |
| | | | | US-PGPUB; | |
| | | ł | | EPO; JPO; | |
| | | | | DERWENT; | |
| . | _ | 2 | 08248451.pn. | IBM_TDB USPAT; | 2002/08/04 17:24 |
| | | ۷ ا | 00230301.pir. | USPAT; US-PGPUB; | 2002/00/04 1/:24 |
| | | | | EPO; JPO; | |
| | j | | | DERWENT; | |
| | | | | IBM TDB | |
| - | - | 3 | 2738813.pn. | USPAT; | 2002/08/04 17:27 |
| | | | | US-PGPUB; | |
| | | | | EPO; JPO; | |
| | | | | DERWENT; | |
| | | _ | (100000 | IBM_TDB | 0000/00/01 1= 1 |
| L | | 1 | 6103363.pn. | USPAT | 2002/08/04 17:25 |

| - 2 08248451.pn. USPAT; 2002 | /08/04 17:30 |
|--|--------------------------------|
| US-PGPUB; | |
| EPO; JPO; | |
| DERWENT; | |
| IBM_TDB | |
| | /08/04 17:31 |
| | /08/04 17:30 |
| US-PGPUB; | |
| EPO; JPO; | |
| DERWENT; | |
| IBM_TDB | |
| | /08/04 18:51 |
| | /08/04 19:01 |
| | /08/04 19:01 |
| | /08/04 19:01 |
| | /08/05 09:00 |
| US-PGPUB; | |
| EPO; JPO; | |
| DERWENT; | |
| IBM_TDB | /00/05 00 00 |
| | /08/05 09:00 |
| US-PGPUB; | |
| EPO; JPO; | } |
| DERWENT; | ļ |
| IBM TDB | /00/05 00:04 |
| | /08/05 08:24 /08/05 08:24 |
| | |
| | /08/05 08:30 /08/05 08:25 |
| | /08/05 08:25 |
| and ((tie or (tie-layer)) same (color or colour)) | |
| | /08/05 08:34 |
| | |
| | /08/05 08:38 |
| 1 | /08/05 08:34 |
| 0 (antireflection and (color with modif\$5)) USPAT 2002 and electrochromic | /08/05 08:34 |
| | /08/05 08:34 |
| and electrochromic | ,00,00 08:34 |
| | /08/05 08:37 |
| | /08/05 08:37 /08/05 08:37 |
| | /08/05 08:37 /08/05 08:39 |
| | /08/05 08:39 /08/05 08:39 |
| | /08/05 08:39 /08/05 08:39 |
| , | /08/05 08:43 |
| and electrochromic | , |
| | /08/05 08:49 |
| and electrochromic | 23,20 00.13 |
| | /08/05 08:48 |
| | /08/05 08:57 |
| | /08/05 08:58 |
| (color with control)) and electrochromic | 27, 22 00.00 |
| | /08/05 09:29 |
| (color with control) | ., |
| | /08/05 09:30 |
| or film) | |
| - 10 color adj control adj (layer or coating or USPAT 2002 | /08/05 09:50 |
| film) | |
| | /08/05 09:35 |
| or film) | |
| - 16 color adj (modif\$5 or var\$5 or USPAT 2002 | /08/05 13:27 |
| attenuating) adj (layer or coating or | · |
| film) | |
| - 11 (color adj (modif\$5 or var\$5 or USPAT 2002) | /08/05 14:18 |
| attenuating) adj (layer or coating or | |
| film)) and glass | |
| | /08/05 09:50 |
| electrochromic | |
| - 4 (high with low with refracti\$5) and USPAT 2002, | /08/05 13:07 |
| electrochromic and (anti-reflection or | |
| | |
| antirreflection) | 4 |
| | 08/05 13:07 |

| | 0 | 5777779.pn. and static | USPAT | 2002/08/05 13:08 |
|---|------|--|-----------|----------------------|
| _ | 76 | (color with (modif\$5 or var\$5 or | USPAT | 2002/08/05 13:30 |
| | | attenuating or control) with (layer or | | |
| | | coating or film)) same (tin adj oxide) | | |
| _ | 13 | (color with (modif\$5 or var\$5 or | USPAT | 2002/08/05 13:48 |
| | | attenuating or control) with (layer or | ****** | 3002, 00, 00 10110 |
| | | coating or film)) same (tin adj oxide) | | |
| | | same (silicon adj (oxide or dioxide)) | | |
| _ | 27 | color with (tin adj oxide) with (silicon | USPAT | 2002/08/05 13:38 |
| _ | 2 / | adj (oxide or dioxide)) | OSTAI | 2002/08/03 13.38 |
| | 20 | | USPAT | 2002/00/05 12-20 |
| _ | 20 | color with (tin adj oxide) with (silicon | USPAI | 2002/08/05 13:39 |
| | | adj (oxide or dioxide)) with (layer or | } | |
| | | film or coating) | | 0000/00/05 10 00 |
| _ | 0 | (color with (tin adj oxide) with (silicon | USPAT | 2002/08/05 13:39 |
| | | adj (oxide or dioxide)) with (layer or | | <u> </u> |
| | | film or coating)) and (antireflection or | | |
| | | (anti-reflection)) | | |
| - | 20 | (color with (tin adj oxide) with (silicon | USPAT | 2002/08/05 13:39 |
| | | adj (oxide or dioxide)) with (layer or | | |
| | | film or coating)) and (glass) | | |
| - | 18 | (color with (tin adj oxide) with (silicon | USPAT | 2002/08/05 14:01 |
| 1 | | adj (oxide or dioxide)) with (layer or | | 1 |
| | | film or coating)) and (glass with | İ | |
| | | substrate) | | |
| - | 1 | (tin adj oxide) with (silicon adj oxide) | USPAT | 2002/08/05 13:48 |
| | | with stack with color | | |
| - | 1 | 0275662.pn. | USPAT; | 2002/08/05 14:01 |
| | | 1 | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 5 | 275662.pn. | USPAT; | 2002/08/05 14:07 |
| | | 2,0002.51. | US-PGPUB; | 2002,00,00 14.07 |
| | | | EPO; JPO; | |
| | | | DERWENT; | 1 |
| | | | IBM TDB | 1 |
| | 0 | ("Gro sub 2") with ("Gio sub 2") with | USPAT | 2002/00/05 14:00 |
| - | ١ | ("SnO.sub.2") with ("SiO.sub.2") with stack with color | USPAT | 2002/08/05 14:08 |
| _ | 10 | ("SnO.sub.2") with ("SiO.sub.2") with | HCDAM . | 2002/00/05 14:10 |
| - | 19 | | USPAT | 2002/08/05 14:10 |
| | _ ا | color | | 2002/00/05 14 00 |
| _ | 5 | ("SnO.sub.2") with ("SiO.sub.2") with | USPAT | 2002/08/05 14:08 |
| | _ | stack | | 0000 (00 (05 14 00) |
| _ | 2 | (("SnO.sub.2") with ("SiO.sub.2") with | USPAT | 2002/08/05 14:09 |
| | | color) and electrochromic | l | / / |
| _ | 19 | (("SnO.sub.2") with ("SiO.sub.2") with | USPAT | 2002/08/05 14:10 |
| | | color) and (color or colour) | | |
| _ | 12 | (tin adj oxide) with (color with (control | USPAT | 2002/08/05 14:13 |
| | ĺ | or vary or modify)) | | |
| - | 0 | color with modify with (tin adj oxide) | USPAT | 2002/08/05 14:19 |
| | | with (silicon adj oxide) | | |
| - | 1 | color with modify same ((tin adj oxide) | USPAT | 2002/08/05 14:20 |
| | | with (silicon adj oxide)) | | |
| - | 1 | color with modify with (tin adj oxide) | USPAT | 2002/08/05 14:20 |
| - | 2 | color with vary with (tin adj oxide) | USPAT | 2002/08/05 14:21 |
| - | 10 | color with control with (tin adj oxide) | USPAT | 2002/08/05 14:50 |
| - | 1 | 5800918.pn. | USPAT | 2002/08/05 14:50 |
| - | 0 | 5800918.pn. and (hydrolysable adj | USPAT | 2002/08/05 14:50 |
| | | fluorinated adj alkylsilane) | | |
| - | 0 | 5800918.pn. and (hydrolysable same | USPAT | 2002/08/05 14:58 |
| | | fluorinated same alkylsilane) | | |
| - | 1947 | (lacquer or varnish) with protective | USPAT | 2002/08/05 14:59 |
| - | 1864 | (polyurethane) with protective | USPAT | 2002/08/05 14:59 |
| - | 2 | ((polyurethane) with protective) and | USPAT | 2002/08/05 14:59 |
| | | electrochromic | | ====, ==, == |
| - | 10 | color adj control adj (layer or film or | USPAT | 2002/08/05 15:29 |
| | | coating) | 551 | 2002,00,00 10.25 |
| _ | 512 | (color adj (layer or film or coating)) | USPAT | 2002/08/05 15:30 |
| | | with (stack or more or double) | 33171 | 2002/00/03 13.30 |
| _ | 5 | (color adj (layer or film or coating)) | USPAT | 2002/08/05 15:32 |
| | | with stack | OSEAT | 2002/00/03 13.32 |
| | l | color with double with layer | USPAT | 2002/08/05 15:33 |
| _ | 316 | I COLOR WITH GOUNTA WITH LAVOR | | |

| _ | 0 | color with double with layer with (silicon | USPAT | 2002/08/05 15:33 |
|-----|----------|--|----------------|--------------------|
| | | with oxide) | | 0000/00/05 15 00 |
| - | 79 | ,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | USPAT | 2002/08/05 15:33 |
| | | with substrate) | USPAT | 2002/08/05 15:34 |
| - | 88 25 | color with (double adj layer) (color with (double adj layer)) and (glass | USPAT | 2002/08/05 15:34 |
| _ | 25 | (color with (double adj layer)) and (glass with substrate) | USPAI | 2002/08/03 18:03 |
| 1_ | 6 | (anti-reflection or antireflection) with | USPAT | 2002/08/05 16:04 |
| | | tint | 001111 | 2002,00,00 10.04 |
| _ | 3 | ((anti-reflection or antireflection) with | USPAT | 2002/08/05 16:32 |
| | | (color or colour)) and electrochromic | | |
| _ | 1 | 6379788.pn. | USPAT | 2002/08/05 16:32 |
| _ | 0 | 6379788.pn. and electrochromic | USPAT | 2002/08/05 16:40 |
| - | 1 | 5805330.pn. | USPAT | 2002/08/05 16:40 |
| _ | 1 | 5805330.pn. and antireflection | USPAT | 2002/08/05 16:40 |
| - | 32 | antireflection and electrochromic | USPAT | 2002/08/05 16:41 |
| _ | 25 | (antireflection and electrochromic) and | USPAT | 2002/08/05 16:41 |
| | | (glass with substrate) | | / / |
| _ | 22 | ((antireflection and electrochromic) and | USPAT | 2002/08/05 17:03 |
| | | (glass with substrate)) and (color or | | |
| | 115 | colour) | HCDVW. | 2002/08/05 17:04 |
| 1 | 115 | (color\$2 adj (layer or film)) and electrochromic | USPAT | 2002/00/03 17:04 |
| _ | 1 | 5780160.pn. | USPAT | 2002/08/05 17:59 |
| _ | 1 | 5805330.pn. | USPAT | 2002/08/05 17:59 |
| | 1 | 5871843.pn. | USPAT | 2002/08/05 17:59 |
| 1_ | 1 | 6040939.pn. | USPAT | 2002/08/05 17:59 |
| _ | 1 | 6362121.pn. | USPAT | 2002/08/05 17:59 |
| 1_ | 1 | 6366013.pn. | USPAT | 2002/08/05 17:59 |
| | 1 | 6379788.pn. | 1 | 2002/08/05 17:59 |
| | 7 | 5780160.pn. or 5805330.pn. or 5871843.pn. | USPAT USPAT | 2002/08/05 17:59 |
|] - | ′ | or 6040939.pn. or 6362121.pn. or | USPAI | 2002/08/03 18:04 |
| | | 6366013.pn. or 6379788.pn. | | |
| _ | 0 | 577779.pn. | USPAT | 2002/08/05 18:04 |
| _ | ľ | 5777779.pn. | USPAT | 2002/08/05 18:04 |
| _ | 1 1 | 6040939.pn. | USPAT | 2003/09/12 08:13 |
| _ | ī | 6040939.pn. and color | USPAT | 2003/09/12 08:17 |
| _ | ĺ | 6040939.pn. and cneutral | USPAT | 2003/09/12 08:17 |
| _ | ľ | 6040939.pn. and neutral | USPAT | 2003/09/12 08:17 |
| _ | ī | 6040939.pn. and (aluminum or silicon or | USPAT | 2003/09/12 08:24 |
| | | yttrium or refract\$4) | ****** | 2000, 03, 12 00.21 |
| | 911 | silicon near2 metal near2 refract\$4 | USPAT | 2003/09/12 08:24 |
| _ | 11 | silicon near2 metal near2 refract\$4 near2 | USPAT | 2003/09/12 08:26 |
| | | index | | |
| _ | 8787 | (silicon not with oxide) with refract\$4 | USPAT | 2003/09/12 08:26 |
| - | 2077 | (silicon not with oxide) with (refract\$4 | USPAT | 2003/09/12 08:26 |
| | | adj index) | | |
| _ | 2337 | (silicon not adj oxide) with (refract\$4 | USPAT | 2003/09/12 08:27 |
| | | adj index) | | |
| _ | 845 | silicon not with oxide) near2(refract\$4 | USPAT | 2003/09/12 08:27 |
| | 0.45 | adj index | | 2002/00/10 00 0- |
| - | 845 | silicon not with oxide) near2 (refract\$4 | USPAT | 2003/09/12 08:27 |
| | 0.45 | adj index | IICDAM | 2002/00/10 00:07 |
| - | 845 | (silicon not with oxide) near2 (refract\$4 | USPAT | 2003/09/12 08:27 |
| 1_ | 554 | adj index) (silicon not with oxide) near2 (refract\$4 | HGDVW. | 2003/00/12 00-27 |
| | 334 | adj index) and glass | USPAT | 2003/09/12 08:27 |
| _ | 68 | (silicon not with oxide) near2 (refract\$4 | USPAT | 2003/09/12 08:28 |
| | | adj index) with glass | 33171 | 2003/03/12 00.20 |
| - | 2 | (silicon not with oxide) near2 (refract\$4 | USPAT | 2003/09/12 08:28 |
| | [| adj index) and electrochromic | | |
| - | 651 | (silicon not with (dioxide or oxide)) | USPAT | 2003/09/12 08:28 |
| | | near2 (refract\$4 adj index) | | |
| - | 676 | (silicon not with (dioxide or oxide)) | USPAT | 2003/09/12 08:28 |
| | | near2 (refract\$4 adj index) | | |
| - | 648 | (silicon not with (dioxide or oxide or | USPAT | 2003/09/12 08:29 |
| | | oxides or dioxides)) near2 (refract\$4 adj | | |
| | | index) | | |
| - | 409 | (silicon not with (dioxide or oxide or | USPAT | 2003/09/12 08:29 |
| | | oxides or dioxides)) near2 (refract\$4 adj | | |
| L | | index) and glass | | <u> </u> |
| | | | | |

| _ | 0 | (silicon not with (dioxide or oxide or | USPAT | 2003/09/12 08:29 |
|---|-----|---|------------|---------------------------------------|
| | | oxides or dioxides)) near2 (refract\$4 adj | | |
| | | index) and electrochrmic | | |
| _ | 0 | (silicon not with (dioxide or oxide or | USPAT | 2003/09/12 08:29 |
| | | oxides or dioxides)) near2 (refract\$4 adj | | |
| | | index) and electrochromic | | |
| _ | 52 | (silicon not with (dioxide or oxide or | USPAT | 2003/09/12 08:35 |
| | | oxides or dioxides)) near2 (refract\$4 adj | | |
| | | index) with glass | | |
| _ | 5 | (silicon not with (dioxide or oxide or | USPAT | 2003/09/12 08:30 |
| | | oxides or dioxides)) near2 (refract\$4 adj | | |
| | | index) near2 metal | | |
| _ | 136 | t · | USPAT | 2003/09/12 08:32 |
| _ | 4 | 5,827,409 | USPAT | 2003/09/12 08:32 |
| _ | 1 | 5,827,409.pn. | USPAT | 2003/09/12 08:33 |
| _ | 1 | 5,827,409.pn. and refract\$4 | USPAT | 2003/09/12 08:33 |
| _ | 0 | (tungsten not with (dioxide or oxide or | USPAT | 2003/09/12 08:35 |
| | | oxides or dioxides)) near2 (refract\$4 adj | | ===================================== |
| | | index) with glass | | |
| _ | 12 | | USPAT | 2003/09/12 09:08 |
| | 1 | oxides or dioxides)) near2 (refract\$4 adj | " | 2003,03,12 03.00 |
| | | index) | | |
| _ | 1 | 5780160.pn. | USPAT | 2003/09/12 09:08 |
| _ | 1 | 5780160.pn. and color\$3 | USPAT | 2003/09/12 09:10 |
| _ | ō | 5780160.pn. and neutral | USPAT | 2003/09/12 09:10 |
| _ | Ĭ | 5780160.pn. and refract\$4 | USPAT | 2003/09/12 09:19 |
| _ | | 5805330.pn. | USPAT | 2003/09/12 09:23 |
| _ | 1 | 5805330.pn. and color\$3 | USPAT | 2003/09/12 09:23 |
| _ | 0 | 5805330.pn. and nuetral | USPAT | 2003/09/12 09:24 |
| _ | ő | 5805330.pn. and neutral | USPAT | 2003/09/12 09:30 |
| _ | 392 | | USPAT | 2003/09/12 09:32 |
| _ | 4 | (soda near2 glass) with (silicon adj | USPAT | 2003/09/12 09:34 |
| |] | (oxycarbide or oxynitride)) | OSFAI | 2003/03/12 03.34 |
| _ | 1 | 6040939.pn. | USPAT | 2003/09/12 09:34 |
| _ | 1 | 6379788.pn. | USPAT | 2003/09/12 09:34 |
| _ | i | 5780160.pn. | USPAT | 2003/09/12 09:34 |
| _ | 1 1 | 5805330.pn. | USPAT | 2003/09/12 09:35 |
| _ | 4 | 6040939.pn. or 6379788.pn. or 5780160.pn. | USPAT | 2003/09/12 09:38 |
| _ | 4 | or 5805330.pn. | USFAI . | 2003/09/12 09.38 |
| | 420 | ((aluminum adj oxide) or (yttrium adj | USPAT | 2003/09/12 09:39 |
| | 420 | oxide) or (silicon adj oxycarbide) or | USPAI | 2003/09/12 09:39 |
| | | (silicon adj oxynitride)) with color | | |
| _ | 126 | | USPAT | 2003/09/12 09:40 |
| _ | 120 | ((aluminum adj oxide) or (yttrium adj | USPAI | 2003/09/12 09:40 |
| | | oxide) or (silicon adj oxycarbide) or (silicon adj oxynitride)) with color with | |] |
| | | (layer or film) | | i |
| | 61 | , · • | II C D A M | 2002/00/12 00:20 |
| _ | 61 | ((aluminum adj oxide) or (yttrium adj | USPAT | 2003/09/12 09:39 |
| | | oxide) or (silicon adj oxycarbide) or | | |
| | | (silicon adj oxynitride)) with color with | | |
| | _ | (layer or film) and glass | | 0000/00/10 00 10 |
| _ | 8 | ((aluminum adj oxide) or (yttrium adj | USPAT | 2003/09/12 09:40 |
| | | oxide) or (silicon adj oxycarbide) or | | |
| | | (silicon adj oxynitride)) with color with | | |
| | | (layer or film) with (modify\$3 or vary\$3 | | |
| | | or chang\$3) | 1 | |